

Storing Data with Computers

How We Use Numbers

Everything is a power of 10!

Example: **181**

How We Use Numbers

Everything is a power of 10!

Example: **181**


10^3	10^2	10^1	10^0
0	1	8	1

$$1000*0 + 100 * 1 + 10*8 + 1*1 = \mathbf{181}$$

How Computers Store Information

Everything is stored in **binary** as a series of 1's and 0's.

With only two values, this means everything is a power of two!



2^7	2^6	2^5	2^4	2^3	2^2	2^1	2^0
1	0	1	1	0	1	0	1

$$128*1 + 64*0 + 32*1 + 16*1 + 8*0 + 4*1 + 2*0 + 1*1 = 181$$


Storing Complex Data

Storing text and other more complex information requires an **encoding** format to describe the data in binary/numerical representation.

ASCII

Decimal	Character
65	A
66	B
67	C
68	D
69	E
70	F
...	...

WAV Audio Format



Example

ASCII

Decimal	Character
65	A
66	B
67	C
68	D
69	E
70	F
...	...

- Let's spell the word "ACE" in binary (all capital letters)
- First convert the letter to the decimal value
 - A = 65
- Now convert 65 to binary

2^7	2^6	2^5	2^4	2^3	2^2	2^1	2^0
0	0	0	0	0	0	0	0

Example

ASCII

Decimal	Character
65	A
66	B
67	C
68	D
69	E
70	F
...	...

- Let's spell the word "ACE" in binary
- First convert the letter to the decimal value
 - A = 65
- Now convert 65 to binary

2^7	2^6	2^5	2^4	2^3	2^2	2^1	2^0
0	0	0	0	0	0	0	0

$2^7 = 128$

That is far too large.

Leave it zero.

Example

ASCII

Decimal	Character
65	A
66	B
67	C
68	D
69	E
70	F
...	...

- Let's spell the word "ACE" in binary
- First convert the letter to the decimal value
 - A = 65
- Now convert 65 to binary

2^7	2^6	2^5	2^4	2^3	2^2	2^1	2^0
0	1	0	0	0	0	0	0

$$2^6 = 64$$

That is less than or equal to 65.

Let's mark this with a 1.

Example

ASCII

Decimal	Character
65	A
66	B
67	C
68	D
69	E
70	F
...	...

- Let's spell the word "ACE" in binary
- First convert the letter to the decimal value
 - A = 65
- Now convert 65 to binary

2^7	2^6	2^5	2^4	2^3	2^2	2^1	2^0
0	1	0	0	0	0	0	1

All we need now is a 1 ($65 - 64 = 1$).
Let's mark the 2^0 position with a 1.

Example

ASCII

Decimal	Character
65	A
66	B
67	C
68	D
69	E
70	F
...	...

- Let's spell the word "ACE" in binary
- First convert the letter to the decimal value
 - A = 65
- Now convert 65 to binary

2^7	2^6	2^5	2^4	2^3	2^2	2^1	2^0
0	1	0	0	0	0	0	1

$$2^7(0) + 2^6(1) + 2^5(0) + 2^4(0) + 2^3(0) + 2^2(0) + 2^1(0) + 2^0(1) = 65$$

You Try!

ASCII

Decimal	Character
65	A
66	B
67	C
68	D
69	E
70	F
...	...

- A = 65 = 01000001
- Try to convert capital C and E to binary on your own!

You Try!

ASCII

Decimal	Character
65	A
66	B
67	C
68	D
69	E
70	F
...	...

- A = 65 = 01000001

- Try to convert capital C and E to binary on your own!

C = 67

2^7	2^6	2^5	2^4	2^3	2^2	2^1	2^0
0	1	0	0	0	0	1	1

$$2^7(0) + 2^6(1) + 2^5(0) + 2^4(0) + 2^3(0) + 2^2(0) + 2^1(1) + 2^0(1) = 67$$

E = 69

2^7	2^6	2^5	2^4	2^3	2^2	2^1	2^0
0	1	0	0	0	1	0	1

$$2^7(0) + 2^6(1) + 2^5(0) + 2^4(0) + 2^3(0) + 2^2(1) + 2^1(0) + 2^0(1) = 69$$

Floating Point Numbers

- Floating point numbers are more complicated to store
- The Institute of Electrical and Electronics Engineers (IEEE) have created an encoding format for representing these values
 - The standard is called IEEE 754
 - YOU DO NOT NEED TO KNOW HOW TO DO THIS CONVERSION 😊
- It is not possible to represent all floating-point numbers
 - WHY?
 - The number of possible values between 0 and 1 is infinite and computers have finite storage!

Hexadecimal

- Binary numbers can get quite long
 - Even simple things like integers could use up to 64 bits!
- When binary numbers are presented to people, they often take the form of hexadecimal values as we can represent the same data an abbreviated fashion
- You may have already seen hexadecimal values before as they are very common for the use of color on the web
 - This is red: FF0000

Try it yourself!

- Convert decimal 635 to binary
 - 0b1001111011
- Convert decimal 635 to hexadecimal
 - 0b1001111011 = 0x27B
- Convert hexadecimal 0x7C to decimal
 - $7(16^1) + 12(16^0) = 124$